

**Energy Science Group**  
**List of Current Available Classes**  
**9/29/2014**

<b>CLASS CODE</b>	<b>CLASS TITLE - RANK AND FILE</b>	<b>NUMBER OF INCUMBENTS*</b>
4938	Associate Energy Specialist (Efficiency)	6
4598	Associate Energy Specialist (Forecasting)	6
4056	Associate Energy Specialist (Technology Evaluation and Development)	12
5837	Energy Analyst	28
4935	Energy Commission Specialist I (Efficiency)	6
4947	Energy Commission Specialist I (Forecasting)	13
4184	Energy Commission Specialist I (Technology Evaluations and Development)	25
4936	Energy Commission Specialist II (Efficiency)	15
4949	Energy Commission Specialist II (Forecasting)	3
4185	Energy commission Specialist II (Technology Evaluation and Development)	18
4937	Energy Commission Specialist III (Efficiency)	2
4949	Energy Commission Specialist III (Forecasting)	6
4186	Energy Commission Specialist III (Technology Evaluation and Development)	10
4609	Energy Program Specialist III (Forecasting)	
4805	Energy Resource Specialist III (Managerial)	
4807	Energy Resources Specialist I	1
4806	Energy Resources Specialist II	1
4813	Energy Resources Specialist III (Supervisory)	
4875	Health and Safety Program Specialist I	
4876	Health and Safety Program Specialist II	
4877	Health and Safety Program Specialist III	

<b>CLASS CODE</b>	<b>CLASS TITLE - SUPERVISORY</b>	<b>NUMBER OF INCUMBENTS</b>
4927	Energy Commission Supervisor I (Efficiency)	
4928	Energy Commission Supervisor I (Forecasting)	
4152	Energy Commission Supervisor I (Technology Evaluation and Development)	
4940	Energy Commission Supervisor II (Efficiency)	3
4599	Energy Commission Supervisor II (Forecasting)	2
4058	Energy Commission Supervisor II (Technology Evaluation and Development)	12

<b>CLASS CODE</b>	<b>NEW CLASSES</b>	<b>NUMBER OF INCUMBENTS</b>
	Energy Scientist	
	Senior Energy Scientist (Specialist)	
	Senior Energy Scientist I (Supervisory)	
	Senior Energy Scientist II (Supervisory)	
	Energy Program Manager	
	Senior Energy Scientist II (Managerial)	

\*NOTE: The number of incumbents in various classes were transmitted to the Controller's Office via departments and are unreliable in some cases.